

**Wharncliffe Heath Nature
Reserve - Fungi records
1997-2011**

| Species | Common name | Year recorded |
|-------------------------------------|------------------------|------------------------|
| <i>Agrocybe erebia</i> | Dark fieldcap | 1997 |
| <i>Amanita fulva</i> | Tawny grisette | 2010 |
| <i>Amanita muscaria</i> | Fly agaric | 1997, 2007, 2010, 2011 |
| <i>Amanita rubescens</i> | The blusher | 2000, 2007, 2010 |
| <i>Amanita vaginata</i> | Grisette | 1997, 2007 |
| <i>Armillaria mellea</i> | Honey fungus | 1999, 2007, 2010, 2011 |
| <i>Asocoryne sarcoides</i> | Purple jelly disc | 2007, 2010, 2011 |
| <i>Auricularius auricula-judae</i> | Ear fungus | 2007 |
| <i>Bisporella citrina</i> | Lemon disco | 2011 |
| <i>Bolbitius titubans</i> | Yellow fieldcap | 2007 |
| <i>Boletus badius</i> | Bay bolete | 2007, 2011 |
| <i>Boletus chalciporuspiperatus</i> | Peppery bolete | 2007 |
| <i>Boletus chrysenteron</i> | Red-cracking bolete | 2007, 2010 |
| <i>Boletus edulis</i> | Penny bun | 1997, 2007, 2010, 2011 |
| <i>Calocera cornea</i> | Small stagshorn | 2011 |
| <i>Calocera pallidospatulata</i> | Pale stagshorn | 2000 |
| <i>Calocera viscosa</i> | Yellow stagshorn | 1997, 2011 |
| <i>Chondrostereum purpureum</i> | Silver leaf fungus | 2010 |
| <i>Clitocybe clavipes</i> | Club-foot | 1999, 2011 |
| <i>Clitocybe fragrans</i> | Fragrant funnel | 2010 |
| <i>Clitocybe gibba</i> | Common funnel | 2007 |
| <i>Clitocybe nebularis</i> | Clouded agaric/funnel | 2007, 2010 |
| <i>Clitocybe odora</i> | Aniseed funnel | 2010 |
| <i>Clitocybe phyllophila</i> | Frosted funnel | 2010, 2011 |
| <i>Clitopilus prunulus</i> | The miller | 1999, 2011 |
| <i>Collybia butyracea</i> | Butter cap | 2000, 2007, 2010, 2011 |
| <i>Collybia confluens</i> | Clustered ytoughshank | 2011 |
| <i>Collybia dryophila</i> | Russet toughshank | 1997 |
| <i>Collybia erythropus</i> | Redleg toughshank | 2000, 2010 |
| <i>Collybia maculata</i> | Spotted tough-shank | 2000, 2010 |
| <i>Collybia peronata</i> | Wood woolly-foot | 2000, 2007, 2010, 2011 |
| <i>Coprinus atramentarius</i> | Common ink cap | 2000, 2010 |
| <i>Coprinus comatus</i> | Shaggy ink cap | 2000, 2007 |
| <i>Coprinus disseminatus</i> | Fairies' bonnets | 1997 |
| <i>Coprinus lagopus</i> | Hare's-foot inkcap | 2007 |
| <i>Coprinus micaceus</i> | Glistening ink-cap | 2000 |
| <i>Coprinus plicatilis</i> | Pleated inkcap | 2011 |
| <i>Cortinarius paleaceus</i> | Pelargonium webcap | 2000 |
| <i>Cystoderma amianthinum</i> | Earthy powdercap | 2000, 2010 |
| <i>Dacrymyces stillatus</i> | Common jellyspot | 1999 |
| <i>Daedaleopsis confragrosa</i> | Blushing bracket | 2011 |
| <i>Daldinia concentrica</i> | Cramp ball | 1997 |
| <i>Entoloma chalybeum</i> | Indigo pinkgill | 1997 |
| <i>Fistulina hepatica</i> | Beefsteak fungus | 1999 |
| <i>Fomes fomentarius</i> | Hoof fungus | 2008 |
| <i>Gymnopilus junonius</i> | Spectacular rustgill | 2007 |
| <i>Handkea excipuliformis</i> | Pestle-shaped puffball | 2000 |
| <i>Helvella crispa</i> | White saddle | 2010 |
| <i>Heterobasidion annosum</i> | Roor rot | 2010 |
| <i>Hygrocybe ceracea</i> | Butter waxcap | 2010 |
| <i>Hygrocybe miniata</i> | Vermillion waxcap | 2010 |
| <i>Hygrophoropsis aurantiaca</i> | False chanterelle | 2000, 2011 |
| <i>Hypholoma fasciculare</i> | Sulphur tuft | 2000, 2007, 2010 |

| | | |
|---|---------------------------|------------------------|
| <i>Hypomyces chrysospermus</i> | Bolete mould | 2007, 2010 |
| <i>Laccaria amethystina</i> | Amethyst deceiver | 2007 |
| <i>Laccaria glyciosmus</i> | Coconut-scented milk-cap | 2000 |
| <i>Laccaria laccata</i> | Deceiver | 2000, 2007, 2010, 2011 |
| <i>Laccaria proxima</i> | Scurfy deceiver | 2010 |
| <i>Laccaria quietus</i> | Oak milk-cap | 1999, 2007, 2010 |
| <i>Laccaria rufus</i> | Rufous milk-cap | 2000 |
| <i>Laccaria vellereus</i> | Fleecy milk-cap | 1997 |
| <i>Lactarius blennius</i> | Beech milkcap | 2007 |
| <i>Lactarius camphoratus</i> | Curry-scented milk-cap | 1998 |
| <i>Lactarius tabidus</i> | Birch milkcap | 2010 |
| <i>Lactarius torminosus</i> | Woolly milkcap | 2010 |
| <i>Lactarius vellereus</i> | Fleecy milkcap | 1997, 2010 |
| <i>Leccinum scabrum</i> | Brown birch bolete | 2000, 2007, 2010 |
| <i>Leccinum variicolor</i> | Mottled bolete | 2000, 2010 |
| <i>Leccinum versipelle</i> | Orange birch bolete | 2000, 2010, 2011 |
| <i>Lenzites betulinus</i> | Birch mazegill | 2007, 2010 |
| <i>Lepiota procera</i> | Parasol mushroom | 1999 |
| <i>Lepista nuda</i> | Wood blewit | 2007, 2010 |
| <i>Lycoperdon echinatum</i> | Spiny puffball | 1997, 2007 |
| <i>Lycoperdon nigrescens</i> | Dusky puffball | 2000, 2010, 2011 |
| <i>Lycoperdon perlatum</i> | Common puffball | 2007, 2011 |
| <i>Lycoperdon pyriforme</i> | Stump puffball | 1999 |
| <i>Megacollybia platyphylla</i> | Whitelaced shank | 1999 |
| <i>Microshaera alphitoides</i> | Oak mildew | 2011 |
| <i>Mycena arcangeliana</i> | Angel's bonnet | 2011 |
| <i>Mycena epipterygia</i> | Yellowleg bonnet | 2000 |
| <i>Mycena galericulata</i> | Common bonnet | 2010, 2011 |
| <i>Mycena galopus</i> | Milking bonnet | 2000 |
| <i>Mycena galopus var. nigra</i> | Black milking bonnet | 2000 |
| <i>Mycena polygramma</i> | Grooved bonnet | 2007, 2010, 2011 |
| <i>Mycena pura</i> | Lilac bonnet | 2011 |
| <i>Mycena sanguinolenta</i> | Bleeding bonnet | 2000 |
| <i>Nectria cinnabarina</i> | Coral spot | 2011 |
| <i>Paxillus involutus</i> | Brown roll-rim | 2000, 2007, 2010, 2011 |
| <i>Phallus impudicus</i> | Stinkhorn | 2000, 2010 |
| <i>Pholiota tuberculosa</i> | A scalycap mushroom | 2010 |
| <i>Piptoporus betulinus</i> | Birch polypore | 2000, 2007, 2010, 2011 |
| <i>Pleurotus ostreatus</i> | Common osyter | 2011 |
| <i>Pleurotus cornucopiae</i> | Branching oyster | 1997 |
| <i>Pluteus cervinus</i> | Deer shield | 2007 |
| <i>Polyporus squamosus</i> | Dryad's saddle | 1997 |
| <i>Postia subcaesia</i> | Blueing bracket | 2011 |
| <i>Psilocybe semilanceolata</i> | Liberty cap | 1997 |
| <i>Rhytisma acerinum</i> | Sycamore tar-spot | 2007, 2010 |
| <i>Rickenella fibula</i> | Orange moss-cap | 2010 |
| <i>Russula atropurpurea</i> | Purple brittlegill | 1999, 2010 |
| <i>Russula betularum</i> | Birch brittle-gill | 2000, 2007 |
| <i>Russula chloroides</i> | Blue band brittlegill | 2000 |
| <i>Russula claroflava</i> | Yellow swamp brittlegill | 2007 |
| <i>Russula cyanoxantha var peltereaui</i> | Charcoal burner | 1999 |
| <i>Russula densifolia</i> | Crowded brittlegill | 1999 |
| <i>Russula emetica</i> | The sickener | 2007 |
| <i>Russula foetens</i> | Stinking brittlegill | 2010 |
| <i>Russula nigricans</i> | Blackening brittlegill | 1999, 2007 |
| <i>Russula ochroleuca</i> | Ochre brittlegill | 2000, 2010 |
| <i>Russula vesca</i> | Bare-toothed brittlegill | 1999 |
| <i>Russula virescens</i> | Green-cracked brittlegill | 2007 |
| <i>Scleroderma citrinum</i> | Common earth-ball | 2000 |

| | | |
|--------------------------------|---------------------|------------------------|
| <i>Sparassis crispa</i> | Cauliflower fungus | 1997 |
| <i>Stereum gausapatum</i> | Bleeding oak crust | 1997 |
| <i>Stereum hirsutum</i> | Hairy curtain crust | 2000, 2007, 2010, 2011 |
| <i>Stropharia semiglobata</i> | Dung roundhead | 2010 |
| <i>Suillus luteus</i> | Slippery jack | 1997 |
| <i>Thelophora terrestris</i> | Earth fan | 2000 |
| <i>Trametes versicolor</i> | Turkey tail | 1999, 2010, 2011 |
| <i>Tricholoma fulvum</i> | Birch knight | 2000, 2007 |
| <i>Tricholomopsis rutilans</i> | Plums and custard | 1999 |
| <i>Xylaria hypoxylon</i> | Candle-snuff fungus | 1997, 2007, 2010, 2011 |
| Total: 122 species | | |
| Determiners | | |

Paul Aardron (1999, 2000)
 Barry Dinnigan (2010)
 Jim Flanagan (2008)
 Michael Senkans (2007, 2010, 2011)

English names follow Holden, 2003, Recommended English Names for Fungi in the UK
 (Report to the British Mycological Society, English Nature, Plantlife and Scottish Natural
 Heritage)